EUROPEAN PATENT OFFICE

Patent Abstracts of Japa

PUBLICATION NUMBER

09246264

PUBLICATION DATE

19-09-97

APPLICATION DATE

05-02-97

APPLICATION NUMBER

09022701

APPLICANT: INTERNATL BUSINESS MACH CORP <IBM>;

INVENTOR: BISHNUBAAI VITTALBAAI PATEL;

INT.CL.

H01L 21/314 C01B 31/00 C23C 14/06 C23C 16/50 H01B 3/00 H01L 21/768 // C07C

22/08 C07C 25/13

TITLE

LOW DIELECTRIC CONSTANT AMORPHOUS FLUORINATED CARBON FILM AND ITS

MANUFACTURE

ABSTRACT :

PROBLEM TO BE SOLVED: To form amorphous fluorinated carbon film to be used as a

dielectric insulation layer for an electronic device from a fluorinated ring type hydrocarbon

precursor.

SOLUTION: This precursor can be selected from a group consisting of hexafluorobenzen, 1,2-diethynyltetrafuluorobenzen and 1,4-bis(trifluoromethyl) benzene. The film is adhered by adhering techniques using radiation or beam such as coating technique using ion beam, coating technique using laser, and chemical gas phase coating technique using plasma. This film is stable against heat in a non-oxidation atmosphere up to 400°C and the dielectric constant is lower than 3.0. Therefore, this film is suited to a use as an insulating body for separating a conductor in a mutual connecting construction.

COPYRIGHT: (C)1997,JPO